

PRODUCT NAME(S): Parts Cleaner

SECTION 1 – IDENTIFICATION

Manufacturer's Info:
 Rhino Linings Corporation
 9747 Businesspark Avenue
 San Diego, CA, 92131

Product name: PARTS CLEANER
Chemical Family: SOLVENT BLEND

Information phone: (858) 450 0441
Emergency contact: CHEMTREC (800) 424 9300

SECTION 2 – HAZARD(S) IDENTIFICATION

Physical hazards	Flammable liquids	Category 4
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Reproductive toxicity	Category 1B
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
	Specific target organ toxicity, repeated exposure	Category 2 (Kidney)
OSHA defined hazards	Not classified.	
Label elements		



Signal word: Danger
Hazard statement: Combustible liquid. Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. May cause drowsiness or dizziness. May damage fertility or the unborn child.

Precautionary statement:
Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
Response: If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Rinse mouth. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire: Use appropriate media to extinguish.
Storage: Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.
Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC): None known.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS
Mixtures

Chemical name	CAS number	%
1-Methyl-2Pyrrolidone	872-50-4	35 - 55
Butyrolactone	96-48-0	12 - 24
2-Phenoxyethanol	122-99-6	8-18
Branched-nonylphenol ethoxylate	68412-54-4	2-12
Ethyl-3-ethoxy propionate	763-69-9	3-15
[2-(2-methoxymethylethoxy)methylethoxy]propanol	25498-49-1	2-10

SECTION 4 – FIRST-AID MEASURES

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and Special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	If exposed or concerned: get medical attention/advice. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

SECTION 5 – FIRE-FIGHTING MEASURES

Suitable extinguishing media	Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising From the chemical	The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Combustible liquid.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

SECTION 7 – HANDLING AND STORAGE

Precautions for safe Handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from open flames, hot surfaces and sources of ignition. Do not get this material in contact with eyes. Avoid breathing mist or vapor. Avoid contact with skin and clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION
Occupational exposure limits
US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
1-Methyl-2-pyrrolidinone (CAS 872-50-4)	TWA	40 mg/m ³
		10 ppm

Biological limit values
ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
1-Methyl-2-pyrrolidinone (CAS 872-50-4)	100 mg/l	5-Hydroxy-N-methyl-2-pyrrolidone	Urine	*

* - For sampling details, please see the source document.

Exposure guidelines

US WEEL Guides: Skin designation
 1-Methyl-2-pyrrolidinone (CAS 872-50-4)

Can be absorbed through the skin.

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses. If splash potential exists, wear full face shield or chemical goggles.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment. Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Considerations When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

Additional Protective Measures: Educate and train employees in safe handling of this product. Follow all label instructions. As a general hygiene practice, wash hands and face after use. Clean water should always be readily available for emergency skin and eye washing. Emergency eyewash fountains and safety shower are recommended in close proximity as a matter of good work practice.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Colorless to Straw liquid
Odor:	Mild
Odor threshold:	Not available
pH:	Not available
Melting point/ freezing point:	Not available
Initial boiling point and boiling range:	410°F (210°C)
Flash point:	192.2°F (89.0°C)
Evaporation rate:	Not available
Flammability (solid, gas):	Not applicable
Upper/ lower flammability or explosive limits:	Not applicable
Vapor pressure:	0.45 hPa
Vapor density:	Not available
Relative density:	1.065
Solubility (water):	Miscible
Partition coefficient n-octanol/water:	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Viscosity:	Not available

SECTION 10 – STABILITY AND REACTIVITY

Reactivity: The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability: Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid: Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials: Alkaline metals. Peroxides.

Hazardous decomposition products No hazardous decomposition products are known.

SECTION 11 – TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation May cause drowsiness and dizziness. Headache. Nausea, vomiting. May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage.

Ingestion Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Headache. May cause drowsiness and dizziness. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Harmful if swallowed. Narcotic effects. May cause respiratory irritation.

Components	Species	Test Results
[2-(2-methoxymethylethoxy)methylethoxy]propanol (CAS 25498-49-1)		
Acute Oral LD50	Rat	3200 mg/kg
1-Methyl-2-pyrrolidinone (CAS 872-50-4)		
Acute Dermal LD50	Rabbit	8000 mg/kg
Inhalation LC50	Rat	> 5.1 mg/l
Oral LD50	Rat	3914 mg/kg
2-Phenoxyethanol (CAS 122-99-6)		
Acute Oral LD50	Rat	1260 mg/kg
Branched-nonylphenol ethoxylate (CAS 68412-54-4)		
Acute Dermal LD50		2830 mg/kg
Oral LD50	Rat	> 2000 mg/kg
Butyrolactone (CAS 96-48-0)		
Acute Inhalation		

Acute
Oral

LD50

Rat

3200 mg/kg

1-Methyl-2-pyrrolidinone (CAS 872-50-4)

Acute
Dermal

LD50

Rabbit

8000 mg/kg

Inhalation

LC50

Rat

> 5.1 mg/l

Oral

LD50

Rat

3914 mg/kg

2-Phenoxyethanol (CAS 122-99-6)

Acute
Oral

LD50

Rat

1260 mg/kg

Branched-nonylphenol ethoxylate (CAS 68412-54-4)

Acute
Dermal

LD50

2830 mg/kg

Oral

LD50

Rat

> 2000 mg/kg

Butyrolactone (CAS 96-48-0)

Acute
Inhalation

Date Released: September 8, 2016

LC50 Rat
 Oral
 LD50 Rat

> 5.1 mg/l, 4 Hours

1582 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin Sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Butyrolactone (CAS 96-48-0) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity May damage fertility or the unborn child.

Specific target organ - toxicity single exposure May cause respiratory irritation. May cause drowsiness and dizziness.

Specific target organ - toxicity repeated exposure Not classified-

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
1-Methyl-2-pyrrolidinone (CAS 872-50-4)		
Aquatic		
Algae	EC50 Scenedesmus subspicatus	> 500 mg/l, 72 hours
Crustacea	EC50 Daphnia magna	> 1000 mg/l, 24 hours
Fish	LC50 Oncorhynchus mykiss	> 500 mg/l, 96 hours
2-Phenoxyethanol (CAS 122-99-6)		
Aquatic		
Fish	LC50 Fathead minnow (Pimephales promelas)	337 - 352 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Date Released: September 8, 2016

Partition coefficient n-octanol / water (log Kow)

1-Methyl-2-pyrrolidinone (CAS 872-50-4)	-0.54
2-Phenoxyethanol (CAS 122-99-6)	1.16
Butyrolactone (CAS 96-48-0)	-0.64

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13 – DISPOSAL CONSIDERATIONS
Product Disposal: The generation of waste should be avoided or minimized wherever possible. If product becomes a waste, it Does not meet criteria of hazardous waste as defined in 40 CFR 261, Subpart C and D. Do not discharge into sewer system. Spill cleanup residues may still be subject to RCRA storage and disposal requirements. Dispose waste in compliance with local, state and federal regulations via licensed waste disposal contractor.

Container disposal: Even after emptying, container may retain residues. Do not heat or cut empty container with electric or gas torch since highly toxic vapors and gases can be formed. Empty containers should be completely drained and safely stored until appropriately reconditioned or disposed through licensed contractor in accordance with government regulations. This material and its container must be disposed of in a safe way.

SECTION 14 – TRANSPORT INFORMATION
DOT

UN number	NA1993
UN proper shipping name	Combustible liquid n.o.s. (Ethyl-3-ethoxy propionate)
Transport hazard class(es)	
Class	Combustible Liquid
Subsidiary risk	-
Label(s)	None
Packing group	III
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB3,T1,T4,TP1
Packaging exceptions	150
Packaging non bulk	203
Packaging bulk	241

This material is not regulated under 49 CFR if in a container of 119 gallon capacity or less.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

SECTION 15 – REGULATORY INFORMATION
U.S. Regulations:
OSHA HCS: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
 Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
 Not listed.

CERCLA Sections 102-103 (40 CFR Part 302) (Hazardous Substances Release
 2-Phenoxyethanol (CAS 122-99-6) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories Immediate Hazard - Yes
 Delayed Hazard - Yes
 Fire Hazard - Yes

Pressure Hazard - No
 Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Chemical Yes

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
1-Methyl-2-pyrrolidinone	872-50-4	40 - 60
2-Phenoxyethanol	122-99-6	10 - 20

Other federal regulations
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

2-Phenoxyethanol (CAS 122-99-6)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Butyrolactone (CAS 96-48-0) 70 %WV

DEA Exempt Chemical Mixtures Code Number

Butyrolactone (CAS 96-48-0) 2011

US state regulations
US. Massachusetts RTK - Substance List

1-Methyl-2-pyrrolidinone (CAS 872-50-4)

US. New Jersey Worker and Community Right-to-Know Act

1-Methyl-2-pyrrolidinone (CAS 872-50-4)

2-Phenoxyethanol (CAS 122-99-6)

US. Pennsylvania Worker and Community Right-to-Know Law

1-Methyl-2-pyrrolidinone (CAS 872-50-4)

2-Phenoxyethanol (CAS 122-99-6)

US. Rhode Island RTK

1-Methyl-2-pyrrolidinone (CAS 872-50-4)

2-Phenoxyethanol (CAS 122-99-6)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

1-Methyl-2-pyrrolidinone (CAS 872-50-4)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
U.S.A. & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16 – OTHER INFORMATION
LEGEND

GHS

Globally Harmonized System

CAS	Chemical Abstracts Services
EC	European Community
EPA	Environmental Protection Agency
OSHA	Occupational Safety and Health Administration
ACGIH	American Conference of Governmental Industrial Hygienists
NIOSH	National Institute of Occupational Safety and Health
PEL	Permissible Exposure Limits
TLV	Threshold Limit Value
REL	Recommended Exposure Limit
TWA	Time-Weighted Average
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
STOT, SE	Specific Target Organ Toxicity following Single Exposure
STOT, RE	Specific Target Organ Toxicity following Repeated Exposure
COD	Chemical Oxygen Demand
BOD	Biological Oxygen Demand
DOT	Department of Transportation
IMDG	International maritime dangerous goods code
IATA, ICAO	International Air Transport Association, International Civil Aviation Organization
TSCA	Toxic Substances Control Act
EPCRA	Emergency Planning and Community Right-to-Know Act
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
CFR	Code of Federal Regulations
RQ	Reportable Quantity
TQ	Threshold Quantity
TPQ	Threshold Planning Quantity
EHS	Extremely Hazardous Substances
DSL	Domestic Substance List
WHMIS	Workplace Hazardous Materials Information System

HMIS® ratings	Health:	3*
	Flammability:	2
	Physical hazard:	0

NFPA ratings



Latest revision date: September 8, 2017 – Preparation of SDS in accordance to the GHS requirements

Date of the previous revision: Not available

Disclaimer: The data set forth in this sheet are based on information provided by the suppliers of the raw materials and chemicals used in the manufacture of the aforementioned product. Rhino Linings Corporation makes no warranty with respect to the accuracy of the information provided by their suppliers, and disclaims all liability of reliance thereof.