

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.22.2021

Page 1 of 14

Revision date: 06.02.2025

DuraTite 1070 White

SECTION 1: Identification

Product Identifier

Product Name: DuraTite 1070 White

Product code: DT1070W

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: ROOF COATING - Elastomeric Acrylic Coating

Uses Advised Against: Not determined or not applicable.

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer:

United States

Rhino Linings Corporation
9747 Businesspark Avenue
San Diego, CA 92131
858-450-0441
www.rhinolinings.com

Emergency Telephone Number:

North America

CHEMTREC
800-424-9300 (24/7)

SECTION 2: Hazard(s) Identification

GHS Classification:

Acute toxicity (oral), category 4

Skin irritation, category 2

Eye irritation, category 2A

Label elements

Hazard Pictograms:



Signal Word: Warning

Hazard statements:

H315 Causes skin irritation

H319 Causes serious eye irritation

H302 Harmful if swallowed

Precautionary Statements:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.22.2021

Page 2 of 14

Revision date: 06.02.2025

DuraTite 1070 White

P264 Wash any exposed skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection

P270 Do not eat, drink or smoke when using this product

P301+P312 IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell.

P330 Rinse mouth

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P321 Specific treatment (see Sections 4-8 of this SDS and any supplemental information on the product label).

P332+P313 If skin irritation occurs: Get medical advice or attention.

P362 Take off contaminated clothing and wash it before reuse

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice or attention.

P501 Dispose of contents and container in accordance with local, regional, national, and international regulations.

Hazards Not Otherwise Classified:

This product contains TITANIUM DIOXIDE which could be a potential carcinogenic hazard if caused to become airborne due to grinding, sanding or other abrasive processes.

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 13463-67-7	Titanium Dioxide	5-15
CAS Number: 1314-13-2	Zinc Oxide	0.1-0.5
CAS Number: 21645-51-2	Aluminum hydroxide	1-15
CAS Number: 1336-21-6	Ammonia, aqueous solution	0.1-1
CAS Number: Proprietary	Biocide	0.1-0.99

Additional Information:

Specific chemical identity and/or exact percentage (concentration) of each ingredient may be held as confidential business information (CBI). Any ingredient not disclosed in this section may have been determined not to be hazardous to health or the environment, or it may be present at a level below its disclosure threshold.

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Show this Safety Data Sheet to the doctor in attendance.

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.22.2021

Page 3 of 14

Revision date: 06.02.2025

DuraTite 1070 White

After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After Eye Contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

Acute oral exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

Symptoms of exposure may be delayed.

Immediate Medical Attention and Special Treatment

Specific Treatment:

Not determined or not applicable.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Containers can burst violently or explode when heated, due to excessive pressure build-up.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts.

Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers.

Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.22.2021

Page 4 of 14

Revision date: 06.02.2025

DuraTite 1070 White

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10). Recommended storage temperature: 1 - 49°C (33.8 - 120.2°F)

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Titanium Dioxide	13463-67-7	8-Hour TWA: 2.5 mg/m ³ (finescale particles, respirable particulate matter)
	Titanium Dioxide	13463-67-7	8-Hour TWA: 0.2 mg/m ³ (nanoscale particles, respirable particulate matter)
	Zinc Oxide	1314-13-2	8-Hour TWA: 2 mg/m ³ (respirable particulate matter)
	Zinc Oxide	1314-13-2	15-Minute STEL: 10 mg/m ³ (respirable particulate matter)
	Aluminum hydroxide	21645-51-2	8-Hour TWA: 1 mg/m ³ (Aluminum metal and insoluble compounds, respirable fraction)

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.22.2021

Page 5 of 14

Revision date: 06.02.2025

DuraTite 1070 White

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Aluminum hydroxide	21645-51-2	8-Hour TWA: 10 mg/m ³ (Particles (insoluble or poorly soluble) not otherwise specified, inhalable particles (en-US))
	Aluminum hydroxide	21645-51-2	8-Hour TWA: 3 mg/m ³ (Particles (insoluble or poorly soluble) not otherwise specified, respirable particles (en-US))
	Ammonia, aqueous solution	1336-21-6	8-Hour TWA: 25 ppm (Ammonia)
OSHA	Titanium Dioxide	13463-67-7	8-Hour TWA-PEL: 15 mg/m ³ (total dust)
	Zinc Oxide	1314-13-2	8-Hour TWA-PEL: 5 mg/m ³ (fume)
	Zinc Oxide	1314-13-2	8-Hour TWA-PEL: 15 mg/m ³ (total dust)
	Zinc Oxide	1314-13-2	8-Hour TWA-PEL: 5 mg/m ³ (respirable dust)
	Aluminum hydroxide	21645-51-2	8-Hour TWA: 5 mg/m ³ (Inert or nuisance dust, respirable fraction)
	Aluminum hydroxide	21645-51-2	8-Hour TWA: 15 mg/m ³ (Inert or nuisance dust, total dust)
	Ammonia, aqueous solution	1336-21-6	15-Minute STEL: 35 ppm (Ammonia)
	Ammonia, aqueous solution	1336-21-6	8-Hour TWA-PEL: 35 mg/m ³ (50 ppm; AMMONIA)
NIOSH	Titanium Dioxide	13463-67-7	REL-TWA: 0.3 mg/m ³ (ultrafine, including engineered nanoscale [up to 10 hr])
	Titanium Dioxide	13463-67-7	IDLH: 5000 mg/m ³
	Zinc Oxide	1314-13-2	REL-TWA: 5 mg/m ³ (dust and fume [up to 10 hr])
	Zinc Oxide	1314-13-2	Ceiling Limit: 15 mg/m ³ (dust)
	Zinc Oxide	1314-13-2	IDLH: 500 mg/m ³ (dust and fume)
	Zinc Oxide	1314-13-2	15-Minute STEL: 10 mg/m ³ (fume)
	Titanium Dioxide	13463-67-7	REL-TWA: 2.4 mg/m ³ (fine [up to 10 hr])
	Ammonia, aqueous solution	1336-21-6	REL: 18 mg/m ³ (25 ppm [up to 10 hr], Ammonia)
	Ammonia, aqueous solution	1336-21-6	STEL: 27 mg/m ³ (35 ppm; Ammonia)
	Ammonia, aqueous solution	1336-21-6	IDLH: 300 ppm (Ammonia)
United States(California)	Titanium Dioxide	13463-67-7	8-Hour TWA-PEL: 10 mg/m ³ (particles not otherwise regulated, total dust)
	Titanium Dioxide	13463-67-7	8-Hour TWA-PEL: 5 mg/m ³ (particles not otherwise regulated, respirable fraction)

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.22.2021

Page 6 of 14

Revision date: 06.02.2025

DuraTite 1070 White

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Zinc Oxide	1314-13-2	8-Hour TWA-PEL: 5 mg/m ³ (fume)
	Zinc Oxide	1314-13-2	15-Minute STEL: 10 mg/m ³ (fume)
	Aluminum hydroxide	21645-51-2	8-Hour TWA: 10 mg/m ³ (Particulates not otherwise regulated, Total dust)
	Aluminum hydroxide	21645-51-2	8-Hour TWA-PEL: 5 mg/m ³ (Particulates not otherwise regulated, Respirable fraction)
	Ammonia, aqueous solution	1336-21-6	8-Hour TWA-PEL: 18 mg/m ³ (25 ppm; Ammonia)
	Ammonia, aqueous solution	1336-21-6	15-Minute STEL: 27 mg/m ³ (35 ppm; Ammonia)
	Ammonia, aqueous solution	1336-21-6	REL: 3200 ug/m ³ (Acute Inhalation)
	Ammonia, aqueous solution	1336-21-6	REL: 200 ug/m ³ (Chronic Inhalation)

Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.22.2021

Page 7 of 14

Revision date: 06.02.2025

DuraTite 1070 White

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance	White viscous liquid
Odor	Mild amine odor
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	100°C (>212°F)
Flash point (closed cup)	Not applicable (water-based product) however solid material will support combustion if water has been evaporated.
Evaporation rate	Slow
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	17 mm Hg @ 20°C/68°F
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	1.2 - 1.5
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other Information

Material VOC	<50 g/liter
---------------------	-------------

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Stable at normal ambient temperatures and when used as recommended.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

None known.

Incompatible Materials:

No specific material or group of materials is likely to react with the product to produce a hazardous situation.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.22.2021

Page 8 of 14

Revision date: 06.02.2025

DuraTite 1070 White

Hazardous Decomposition Products:

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment:

Harmful if swallowed.

Product Data: No data available.

Substance Data:

Name	Route	Result
Titanium Dioxide	oral	LD50 Rat: > 5000 mg/kg
	inhalation	LC50 Rat: 5.09 mg/L (4 hr [aerosol])
	dermal	LD50 Rat: > 2000 mg/kg
Zinc Oxide	oral	LD50 Rat: > 5000 mg/kg
	dermal	LD50 Rat: > 2000 mg/kg
	inhalation	LC50 Rat: > 5.7 mg/L (4 hr [aerosol])
Aluminum hydroxide	oral	LD50 Rat: > 2000 mg/kg
	inhalation	LC50 Rat: 1.9 mg/L (4 hr [aerosol, Read-across substance data])
Ammonia, aqueous solution	oral	LD50 Rat: 350 mg/kg

Skin Corrosion/Irritation

Assessment:

Causes skin irritation.

Product Data:

No data available.

Substance Data:

Name	Result
Ammonia, aqueous solution	Causes severe skin burns.

Serious Eye Damage/Irritation

Assessment:

Causes serious eye irritation.

Product Data:

No data available.

Substance Data:

Name	Result
Ammonia, aqueous solution	Causes serious eye damage.

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.22.2021

Page 9 of 14

Revision date: 06.02.2025

DuraTite 1070 White

Product Data: No data available.

Substance Data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Titanium Dioxide	Group 2B
Zinc Oxide	Not Applicable
Aluminum hydroxide	Not Applicable
Ammonia, aqueous solution	Not Applicable

National Toxicology Program (NTP):

Name	Classification
Titanium Dioxide	Not Applicable
Zinc Oxide	Not Applicable
Aluminum hydroxide	Not Applicable
Ammonia, aqueous solution	Not Applicable

OSHA Carcinogens:

Ingredient Name	CAS	OSHA Carcinogens Status
Titanium Dioxide	13463-67-7	Yes

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Information on Likely Routes of Exposure:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.22.2021

Page 10 of 14

Revision date: 06.02.2025

DuraTite 1070 White

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

Other Information:

Biocide - withheld as PROPRIETARY: Long-term exposure limit (8-hour TWA): ACGIH 10 mg/m³ A4

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
Titanium Dioxide	Aquatic Invertebrates EC50 Daphnia magna: > 100 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Raphidocelis subcapitata: >100 mg/L (72 hr [growth rate])
	Fish LC50 Pimephales promelas: >1000 mg/L (96 hr)
Zinc Oxide	Fish LC50 Danio rerio: 1.55 mg/L (96 hr [mortality])
	Aquatic Invertebrates LC50 Daphnia magna: 0.76 mg/L (48 hr [mortality])
	Aquatic Plants EC50 Desmodosmus subspicatus: 3.35 mg/L (72 hr [growth rate])
Aluminum hydroxide	Fish LC50 Pimephales promelas: 1.16 mg/L (96 hr [Read-across substance data])
	Aquatic Invertebrates EC50 Ceriodaphnia dubia: 1.9 mg/L (48 hr [immobilisation, Read-across substance data])

Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
Zinc Oxide	Fish NOEC Oncorhynchus mykiss: 0.036 mg/L (25 d [mortality])
	Aquatic Invertebrates NOEC Daphnia magna: 0.058 mg/L (21 d [reproduction])
Titanium Dioxide	Aquatic Invertebrates NOEC Daphnia magna: >= 10 mg/L (21 d [population and growth rate])
	Fish NOEC Freshwater fish: >= 80 mg/L (6 d [time to hatch])
Aluminum hydroxide	Fish NOEC Pimephales promelas: 7.1 mg/L (28 d [mortality, Read-across substance data])
	Aquatic Invertebrates NOEC Daphnia magna: 1.89 mg/L (21 d [reproduction, Read-across substance data])

Persistence and Degradability

Product Data: No data available.

Substance Data:

Name	Result
Zinc Oxide	Persistence assessment based on biodegradability is not relevant for inorganic compounds such as this substance.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.22.2021

Page 11 of 14

Revision date: 06.02.2025

DuraTite 1070 White

Name	Result
Titanium Dioxide	Persistence assessment based on biodegradability is not relevant for inorganic compounds such as this substance.
Aluminum hydroxide	Persistence assessment based on biodegradability is not relevant for inorganic compounds such as this substance.

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

Name	Result
Zinc Oxide	Bioaccumulation assessment using a classic BCF assessment is not considered relevant for inorganic compounds such as this substance.
Titanium Dioxide	Bioaccumulation assessment using a classic BCF assessment is not considered relevant for inorganic compounds such as this substance.
Aluminum hydroxide	Bioaccumulation assessment using a classic BCF assessment is not considered relevant for inorganic compounds such as this substance.

Mobility in Soil

Product Data: No data available.

Substance Data:

Name	Result
Titanium Dioxide	Mobility in soil assessment based on KOC/Kd values are not relevant for inorganic compounds such as this substance.
Zinc Oxide	Mobility in soil assessment not applicable for inorganic compounds such as this substance.
Aluminum hydroxide	Mobility in soil assessment based on KOC/Kd values are not relevant for inorganic compounds such as this substance.

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

Zinc Oxide	PBT assessment does not apply as this is an inorganic substance.
Titanium Dioxide	PBT assessment does not apply to inorganic compounds such as this substance.
Aluminum hydroxide	PBT assessment does not apply to inorganic compounds such as this substance.

vPvB assessment:

Zinc Oxide	vPvB assessment does not apply as this is an inorganic substance.
Titanium Dioxide	vPvB assessment does not apply to inorganic compounds such as this substance.
Aluminum hydroxide	vPvB assessment does not apply to inorganic compounds such as this substance.

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.22.2021

Page 12 of 14

Revision date: 06.02.2025

DuraTite 1070 White

The generation of waste should be avoided or minimized wherever possible. If product becomes a waste, it does not meet criteria of hazardous waste as defined in 40 CFR 261, Subpart C and D. Do not discharge into sewer system. Spill cleanup residues may still be subject to RCRA storage and disposal requirements.

Dispose waste in compliance with local, state and federal regulations via licensed waste disposal contractor.

Contaminated packages:

Even after emptying, container may retain residues. Containers should be completely emptied and safely stored until appropriately reconditioned or disposed through licensed contractor in accordance with government regulation. This material and its container must be disposed of in a safe way.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals:

1314-13-2	Zinc Oxide	Listed
1336-21-6	Ammonia, aqueous solution	Listed

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.22.2021

Page 13 of 14

Revision date: 06.02.2025

DuraTite 1070 White

CERCLA:

1336-21-6	Ammonia, aqueous solution	Listed	1000 lb
-----------	---------------------------	--------	---------

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

13463-67-7	Titanium Dioxide	Listed
1314-13-2	Zinc Oxide	Listed
1336-21-6	Ammonia, aqueous solution	Listed

New Jersey Right to Know:

13463-67-7	Titanium Dioxide	Listed
1314-13-2	Zinc Oxide	Listed
1336-21-6	Ammonia, aqueous solution	Listed

New York Right to Know:

13463-67-7	Titanium Dioxide	Listed
1314-13-2	Zinc Oxide	Listed
1336-21-6	Ammonia, aqueous solution	Listed

Pennsylvania Right to Know:

13463-67-7	Titanium Dioxide	Listed
1314-13-2	Zinc Oxide	Listed
1336-21-6	Ammonia, aqueous solution	Listed

California Proposition 65:

⚠️WARNING: This product can expose you to Titanium dioxide (airborne, unbound particles of respirable size); which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Additional information: Not determined.

SECTION 16: Other Information

Abbreviations and Acronyms: None

Disclaimer:

The data set forth in this sheet are based on information provided by the suppliers of the raw materials and chemicals used in the manufacture of the aforementioned product. Rhino Linings Corporation makes no warranty with respect to the accuracy of the information provided by their suppliers, and disclaims all liability of reliance thereof. Sections 11/12 Disclaimer (Toxicity/Ecotoxicity): This product itself has not been tested. Information given is based on data on the components and the toxicology of similar products. Section 14 (Transport Information): Information provided in Section 14 is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

NFPA: 1-0-0

HMIS: 1-0-0

Initial Preparation Date: 01.22.2021

Revision date: 06.02.2025

Revision Notes:

Revision Date	Notes
---------------	-------

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.22.2021

Page 14 of 14

Revision date: 06.02.2025

DuraTite 1070 White

2021-01-22	
2025-06-02	Internal Review

End of Safety Data Sheet