

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.22.2006 Page 1 of 14

**Revision date: 10.10.2025** 

**HiChem 21-70 Resin** 

# **SECTION 1: Identification**

**Product Identifier** 

Product Name: HiChem 21-70 Resin

Product code: 60070

### Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: POLYURETHANE SPRAY ELASTOMER SYSTEM -Resin Component

**Uses Advised Against:** Not determined or not applicable.

Reasons Why Uses Advised Against: Not determined or not applicable.

### **Manufacturer or Supplier Details**

Manufacturer: United States

Rhino Linings Corporation 9747 Businesspark Avenue San Diego, CA 92131 858-450-0441 www.rhinolinings.com

### **Emergency Telephone Number:**

**North America** 

CHEMTREC 800-424-9300 (24/7)

# SECTION 2: Hazard(s) Identification

#### **GHS Classification:**

Acute toxicity (oral), category 4
Acute toxicity (dermal), category 4
Eye irritation, category 2A
Skin sensitization, category 1
Germ cell mutagenicity, category 2
Reproductive toxicity, category 1B
Specific target organ toxicity - single exposure, category 1
Specific target organ toxicity - repeated exposure, category 1

#### **Label elements**

# **Hazard Pictograms:**





**Signal Word:** Danger **Hazard statements:** 

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.22.2006 Page

**Revision date: 10.10.2025** 

### HiChem 21-70 Resin

H317 May cause an allergic skin reaction

H341 Suspected of causing genetic defects.

H360 May damage fertility or the unborn child.

H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure.

H302 Harmful if swallowed

H312 Harmful in contact with skin

H319 Causes serious eye irritation

# **Precautionary Statements:**

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P260 Do not breathe dust, fumes, gas, mist, vapors or spray.

P264 Wash any exposed skin thoroughly with soap and water after handling.

P270 Do not eat, drink or smoke when using this product

P272 Contaminated work clothing must not be allowed out of the workplace

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell.

P330 Rinse mouth

P302+P352 IF ON SKIN: Wash with plenty of water.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse

P321 Specific treatment (see Sections 4-8 of this SDS and any supplemental information on the product label).

P333+P313 If skin irritation or rash occurs: Get medical advice or attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice or attention.

P308+P313 If exposed or concerned: Get medical advice or attention.

P314 Get medical advice or attention if you feel unwell.

P405 Store locked up

P501 Dispose of contents and container in accordance with local, regional, national, and international regulations.

Hazards Not Otherwise Classified: None

# **SECTION 3: Composition/Information on Ingredients**

Identification	Name	Weight %
CAS Number: Proprietary	Natural Oil Based Polyol	75-85
CAS Number: 25265-71-8	Oxydipropanol	1-5
CAS Number: 13463-67-7	Titanium Dioxide	1-5
CAS Number: 1318-02-1	Zeolites	1-5
CAS Number: 68479-98-1	diethylmethylbenzenediamine	1-3

Page 2 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 03.22.2006

**Revision date: 10.10.2025** 

HiChem 21-70 Resin

CAS Number: [25168-21-2	Diisooctyl 4,4'-[(dibutylstannylene)bis(oxy)]bis[4-oxoisocrotonate]	0.1-1
-------------------------	---------------------------------------------------------------------	-------

#### **Additional Information:**

Specific chemical identity and/or exact percentage (concentration) of each ingredient may be held as confidential business information (CBI). Any ingredient not disclosed in this section may have been determined not to be hazardous to health or the environment, or it may be present at a level below its disclosure threshold.

### **SECTION 4: First Aid Measures**

# **Description of First Aid Measures**

### **General Notes:**

Show this Safety Data Sheet to the doctor in attendance.

#### **After Inhalation:**

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

#### **After Skin Contact:**

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

# **After Eye Contact:**

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

#### After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

# Most Important Symptoms and Effects, Both Acute and Delayed

# **Acute Symptoms and Effects:**

Causes damage to organs. Effects are dependent on exposure (dose, concentration, contact time). Acute oral exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea,

vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

#### **Delayed Symptoms and Effects:**

Exposure may cause genetic defects. Effects are dependent on exposure (dose, concentration, contact time).

Long term exposure may affect fertility. Symptoms include, but are not limited to: menstrual problems, altered sexual behavior/fertility/ and pregnancy outcome. Long term exposure may also affect development of the unborn child. Symptoms include, but are not limited to: intrauterine growth retardation, pre-term birth, birth defects and postnatal death.

Causes damage to organs through prolonged or repeated exposure. Effects are dependent on exposure (dose, concentration, contact time).

Page 3 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.22.2006

**Revision date: 10.10.2025** 

#### HiChem 21-70 Resin

Symptoms of exposure may be delayed.

Effects are dependent on exposure (dose, concentration, contact time).

# **Immediate Medical Attention and Special Treatment**

# **Specific Treatment:**

If exhibiting symptoms of exposure, seek prompt medical attention.

#### **Notes for the Doctor:**

Treat symptomatically.

# **SECTION 5: Firefighting Measures**

# **Extinguishing Media**

# **Suitable Extinguishing Media:**

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

# **Unsuitable Extinguishing Media:**

Do not use water jet.

# **Specific Hazards During Fire-Fighting:**

Thermal decomposition may produce irritating/toxic fumes/gases.

# **Special Protective Equipment for Firefighters:**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

### **SECTION 6: Accidental Release Measures**

#### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

# **Environmental Precautions:**

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

### Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

#### **Reference to Other Sections:**

For personal protective equipment see Section 8. For disposal see Section 13.

# **SECTION 7: Handling and Storage**

# **Precautions for Safe Handling:**

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after

Page 4 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.22.2006

**Revision date: 10.10.2025** 

### HiChem 21-70 Resin

handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

# Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10). Recommended Storage temperature: 16 – 32°C (60 - 90°F)

# **SECTION 8: Exposure Controls/Personal Protection**

Only those substances with limit values have been included below.

# **Occupational Exposure Limit Values:**

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Titanium Dioxide	13463-67-7	8-Hour TWA: 2.5 mg/m³ (finescale particles, respirable particulate matter)
	Titanium Dioxide	13463-67-7	8-Hour TWA: 0.2 mg/m³ (nanoscale particles, respirable particulate matter)
	Zeolites	1318-02-1	8-Hour TWA: 1 mg/m³ (Aluminum metal and insoluble compounds, respirable fraction)
	Diisooctyl 4,4'-[(dibutylstannylene)bis(oxy)]bis[4-oxoisocrotonate]	25168-21-2	8-Hour TWA: 0.1 mg/m³ (Tin, organic compounds, as Sn)
	Diisooctyl 4,4'-[(dibutylstannylene)bis(oxy)]bis[4-oxoisocrotonate]	25168-21-2	15-Minute STEL: 0.2 mg/m³ (Tin, organic compounds, as Sn)
OSHA	Titanium Dioxide	13463-67-7	8-Hour TWA-PEL: 15 mg/m <sup>3</sup> (total dust)
	Diisooctyl 4,4'-[(dibutylstannylene)bis(oxy)]bis[4-oxoisocrotonate]	25168-21-2	8-Hour TWA-PEL: 0.1 mg/m³ (Tin, Organic compounds, as Sn)
NIOSH	Titanium Dioxide	13463-67-7	REL-TWA: 0.3 mg/m³ (ultrafine, including engineered nanoscale [up to 10 hr])
	Titanium Dioxide	13463-67-7	IDLH: 5000 mg/m³
	Titanium Dioxide	13463-67-7	REL-TWA: 2.4 mg/m³ (fine [up to 10 hr])
	Diisooctyl 4,4'-[(dibutylstannylene)bis(oxy)]bis[4-oxoisocrotonate]	25168-21-2	REL-TWA: 0.1 mg/m³ (Tin, organic compounds, as Sn [up tp 10 hr])
	Diisooctyl 4,4'-[(dibutylstannylene)bis(oxy)]bis[4-oxoisocrotonate]	25168-21-2	IDLH: 25 mg/m³ (Tin, organic compounds, as Sn)
United States(California)	Titanium Dioxide	13463-67-7	8-Hour TWA-PEL: 10 mg/m³ (particles not otherwise regulated, total dust)
	Titanium Dioxide	13463-67-7	8-Hour TWA-PEL: 5 mg/m³ (particles not otherwise regulated, respirable fraction)
	Diisooctyl 4,4'-[(dibutylstannylene)bis(oxy)]bis[4-oxoisocrotonate]	25168-21-2	8-Hour TWA-PEL: 0.1 mg/m³ (Tin, organic compounds, as Sn)

Page 5 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.22.2006 Page 6

**Revision date: 10.10.2025** 

HiChem 21-70 Resin

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Diisooctyl 4,4'-[(dibutylstannylene)bis(oxy)]bis[4-oxoisocrotonate]		15-Minute STEL: 0.2 mg/m³ (Tin, organic compounds, as Sn)

### **Biological Limit Values:**

No biological exposure limits noted for the ingredient(s).

# Information on Monitoring Procedures:

Not determined or not applicable.

# **Appropriate Engineering Controls:**

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

### **Personal Protection Equipment**

#### **Eye and Face Protection:**

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

# **Skin and Body Protection:**

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

### **Respiratory Protection:**

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

# General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

# **SECTION 9: Physical and Chemical Properties**

#### Information on Basic Physical and Chemical Properties

Appearance	White Liquid	
<b>Odor</b> Mild		
Odor threshold 8-10		
рН	Not determined or not available.	
Melting point/freezing point	Not determined or not available.	
Initial boiling point/range	>200°C (>392°F)	
Flash point (closed cup)	>200°C (>392°F)	
Evaporation rate	Not determined or not available.	
Flammability (solid, gas)	Not determined or not available.	

Page 6 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.22.2006 Page 19.00

**Revision date: 10.10.2025** 

### HiChem 21-70 Resin

Upper flammability/explosive limit	Not determined or not available.	
Lower flammability/explosive limit	Not determined or not available.	
Vapor pressure	Not determined or not available.	
Vapor density	Not determined or not available.	
Density	Not determined or not available.	
Relative density	1.00-1.10 @ 25°C (77°F)	
Solubilities	Slightly soluble	
Partition coefficient (n-octanol/water)	Not determined or not available.	
Auto/Self-ignition temperature	>250°C (>482°F)	
Decomposition temperature	Not determined or not available.	
Dynamic viscosity	Not determined or not available.	
Kinematic viscosity	Not determined or not available.	
Explosive properties	Not determined or not available.	
Oxidizing properties	Not determined or not available.	

# **SECTION 10: Stability and Reactivity**

### Reactivity:

Not reactive under recommended handling and storage conditions.

# **Chemical Stability:**

Stable under recommended handling and storage conditions.

Product is hygroscopic; contamination with moisture will negatively affect product performance. Avoid unintended contact with isocyanates; the reaction will generate heat.

### **Possibility of Hazardous Reactions:**

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

#### **Conditions to Avoid:**

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials. Unintentional contact with moisture or mist formation.

### **Incompatible Materials:**

Strong oxidizing agents.

### **Hazardous Decomposition Products:**

Under normal conditions of storage and use, hazardous decomposition products should not be produced. In fire conditions, decomposition depends upon temperature, air supply and the presence of other materials. Can include, but are not limited to carbon and nitrogen oxides, amines, hydrogen cyanide, lower molecular weight organic molecules, aluminum oxides.

# **SECTION 11: Toxicological Information**

#### **Acute Toxicity**

#### **Assessment:**

Harmful if swallowed.

Harmful in contact with skin.

Product Data: No data available.

**Substance Data:** 

Page 7 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.22.2006

**Revision date: 10.10.2025** 

**HiChem 21-70 Resin** 

Name	Route	Result	
Oxydipropanol	oral	LD50 Rat: > 5000 mg/kg	
	dermal	LD50 Rabbit: > 5010 mg/kg	
	inhalation	LC50 Rat: > 2.34 mg/L (4 hr [aerosol])	
Titanium Dioxide	oral	LD50 Rat: > 5000 mg/kg	
	inhalation	LC50 Rat: 5.09 mg/L (4 hr [aerosol])	
	dermal	LD50 Rat: > 2000 mg/kg	
Zeolites	inhalation	LC50 Rat: >3.35 mg/L (4 hr [dust])	
diethylmethylbenzenediamine	oral	LD50 Rat: 738 mg/kg	
	dermal	LD50 Rabbit: 1100 mg/kg (ATE - Conversion point based on Hazard Classification)	
	inhalation	LC50 Rat: >2.45 mg/L (1 hr [Aerosol])	
Diisooctyl 4,4'- [(dibutylstannylene)bis(oxy)]bi s[4-oxoisocrotonate]	Oral ATE	LD50 Rat: 500 mg/kg	

### Skin Corrosion/Irritation

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**No data available. **Substance Data:** 

Name	Result
1	Causes skin irritation.
[(dibutylstannylene)bis(oxy)]bi	
s[4-oxoisocrotonate]	

# Serious Eye Damage/Irritation

# **Assessment:**

Causes serious eye irritation.

**Product Data:**No data available. **Substance Data:** 

Name	Result
diethylmethylbenzenediamine	Causes serious eye irritation
Diisooctyl 4,4'- [(dibutylstannylene)bis(oxy)]bi	Causes serious eye irritation.
s[4-oxoisocrotonate]	

# **Respiratory or Skin Sensitization**

# **Assessment:**

May cause an allergic skin reaction.

**Product Data:**No data available.

Substance Data: No data available.

Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

Product Data: No data available.

Page 8 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.22.2006

**Revision date: 10.10.2025** 

**HiChem 21-70 Resin** 

Substance Data: No data available.

# International Agency for Research on Cancer (IARC):

Name	Classification
Oxydipropanol	Not Applicable
Titanium Dioxide	Group 2B
Zeolites	Group 3
diethylmethylbenzenediamine	Not Applicable
Diisooctyl 4,4'- [(dibutylstannylene)bis(oxy)]bi s[4-oxoisocrotonate]	Not Applicable

# **National Toxicology Program (NTP):**

Name	Classification
Oxydipropanol	Not Applicable
Titanium Dioxide	Not Applicable
Zeolites	Not Applicable
diethylmethylbenzenediamine	Not Applicable
Diisooctyl 4,4'- [(dibutylstannylene)bis(oxy)]bi s[4-oxoisocrotonate]	Not Applicable

# **OSHA Carcinogens:**

Ingredient Name	CAS	OSHA Carcinogens Status
Titanium Dioxide	13463-67-7	Yes

# **Germ Cell Mutagenicity**

# **Assessment:**

Suspected of causing genetic defects.

### **Product Data:**

No data available.

#### **Substance Data:**

Name	Result
1	Suspected of causing genetic defects.
[(dibutylstannylene)bis(oxy)]bi s[4-oxoisocrotonate]	

# **Reproductive Toxicity**

# **Assessment:**

May damage fertility or the unborn child.

### **Product Data:**

No data available.

# **Substance Data:**

Name	Result
Diisooctyl 4,4'-	May damage fertility or the unborn child.
[(dibutylstannylene)bis(oxy)]bi	
s[4-oxoisocrotonate]	

# **Specific Target Organ Toxicity (Single Exposure)**

Page 9 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.22.2006 Pa

**Revision date: 10.10.2025** 

HiChem 21-70 Resin

#### **Assessment:**

Causes damage to organs.

**Product Data:**No data available.

Substance Data: No data available.

# **Specific Target Organ Toxicity (Repeated Exposure)**

#### **Assessment:**

Causes damage to organs through prolonged or repeated exposure.

Product Data: No data available. Substance Data:

Name	Result
1 -	Causes damage to organs (pancreas; liver; kidneys) through prolonged or repeated exposure
Diisooctyl 4,4'- [(dibutylstannylene)bis(oxy)]bi s[4-oxoisocrotonate]	Causes damage to organs through prolonged or repeated exposure.

#### **Aspiration toxicity**

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**No data available.

Substance Data: No data available.

# Information on Likely Routes of Exposure:

No data available.

### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

Other Information:

No data available.

# **SECTION 12: Ecological Information**

# **Acute (Short-Term) Toxicity**

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

**Substance Data:** 

Name	Result
Oxydipropanol	Fish LC50 Pimephales promelas: 46,500 mg/L (96 hr [Read-across substance])
	Aquatic Invertebrates EC50 Daphnia magna: > 100 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Desmodesmus subspicatus: > 100 mg/L (72 hr [biomass, growth rate])
Titanium Dioxide	Aquatic Invertebrates EC50 Daphnia magna: > 100 mg/L (48 hr [moblity])
	Aquatic Plants EC50 Raphidocelis subcapitata: >100 mg/L (72 hr [growth rate])
	Fish LC50 Pimephales promelas: >1000 mg/L (96 hr)

Page 10 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.22.2006

**Revision date: 10.10.2025** 

**HiChem 21-70 Resin** 

Name	Result
diethylmethylbenzenediamine	Fish LC50 Leuciscus idus: 200 mg/L (48 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 0.5 mg/L (48 hr [mobility])
	Aquatic Plants ErC50 Desmodesmus subspicatus: 104 mg/L (72 hr [growth rate])

# **Chronic (Long-Term) Toxicity**

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

# **Substance Data:**

Name	Result
Titanium Dioxide	Aquatic Invertebrates NOEC Daphnia magna: >= 10 mg/L (21 d [population and growth rate])
	Fish NOEC Freshwater fish: >= 80 mg/L (6 d [time to hatch])

# **Persistence and Degradability**

**Product Data:** No data available.

#### **Substance Data:**

ANDIALICE DATAL	
Name	Result
Oxydipropanol	The substance is readily biodegradable. 64.5% degradation in water, measured by CO2 evolution, after 28 days.
Titanium Dioxide	Persistence assessment based on biodegradability is not relevant for inorganic compounds such as this substance.
Zeolites	Persistence and degradability studies are not applicable to inorganic substances.
diethylmethylbenzenediamine	The substance is not readily biodegradable.

# **Bioaccumulative Potential**

Product Data: No data available.

### **Substance Data:**

Name	Result
Oxydipropanol	The substance is not expected to bioaccumulate (BCF= $0.3$ - $4.6$ & log Pow= -0.462 at 21.7 °C).
Titanium Dioxide	Bioaccumulation assessment using a classic BCF assessment is not considered relevant for inorganic compounds such as this substance.
Zeolites	Bioaccumulation studies are not applicable to inorganic substances.
diethylmethylbenzenediamine	The substance is not expected to bioaccumulate. BCF (aquatic species): 2.75.

# **Mobility in Soil**

**Product Data:** No data available.

# **Substance Data:**

Auditance Data.	
Name	Result
Oxydipropanol	The substance is highly mobile therefore, adsorption to soil is not expected (log Koc= 0.78).
Titanium Dioxide	Mobility in soil assessment based on KOC/Kd values are not relevant for inorganic compounds such as this substance.
Zeolites	Adsorption to soil and sediment is not expected because the substance is inorganic.

Page 11 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.22.2006

**Revision date: 10.10.2025** 

HiChem 21-70 Resin

Name	Result
1 ,	The substance is moderately mobile in soil with a moderate potential for adsorption to soil and sediment. Koc at 20 °C: 551

#### Results of PBT and vPvB assessment

#### **Product Data:**

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

# Substance Data: PBT assessment:

Oxydipropanol	The substance is not PBT.
1	PBT assessment does not apply to inorganic compounds such as this substance.
Zeolites	This substance is not PBT.
diethylmethylbenzenediamine	The substance is not PBT.

#### vPvB assessment:

Oxydipropanol	The substance is not vPvB.
	vPvB assessment does not apply to inorganic compounds such as this substance.
Zeolites	This substance is not vPvB.
diethylmethylbenzenediamine	The substance is not vPvB.

Other Adverse Effects: No data available.

# **SECTION 13: Disposal Considerations**

#### **Disposal Methods:**

The generation of waste should be avoided or minimized wherever possible. If product becomes a waste, it does not meet criteria of hazardous waste as defined in 40 CFR 261, Subpart C and D. Do not discharge into sewer system. Spill cleanup residues may still be subject to RCRA storage and disposal requirements. Dispose waste in compliance with local, state and federal regulations via licensed waste disposal contractor.

### Contaminated packages:

Even after emptying, container may retain residues. Containers should be completely emptied and safely stored until appropriately reconditioned or disposed through licensed contractor in accordance with government regulation. This material and its container must be disposed of in a safe way.

### **SECTION 14: Transport Information**

# United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

### International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated

Page 12 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Page 13 of 14

**Revision date: 10.10.2025** 

HiChem 21-70 Resin

**Initial Preparation Date: 03.22.2006** 

UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

# International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

# **SECTION 15: Regulatory Information**

### **United States Regulations**

# **Inventory Listing (TSCA):**

25265-71-8	Oxydipropanol	Listed - Active
13463-67-7	Titanium Dioxide	Listed - Active
1318-02-1	Zeolites	Not Listed
68479-98-1	diethylmethylbenzenediamine	Listed - Active
25168-21-2	Diisooctyl 4,4'-[(dibutylstannylene)bis(oxy)]bis[4-oxoisocrotonate]	Listed - Active

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

**Export Notification under TSCA Section 12(b):** None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

**SARA Section 313 Toxic Chemicals:** None of the ingredients are listed.

**CERCLA:** None of the ingredients are listed. **RCRA:** None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

#### Massachusetts Right to Know:

	13463-67-7	Titanium Dioxide	Listed		
Ne	ew Jersey Right to Know:				
	13463-67-7	Titanium Dioxide	Listed		

# **New York Right to Know:**

25265-71-8	Oxydipropanol	Listed
13463-67-7	Titanium Dioxide	Listed

# Pennsylvania Right to Know:

25265-71-8	Oxydipropanol	Listed
	' ' '	

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date: 03.22.2006** 

**Revision date: 10.10.2025** 

HiChem 21-70 Resin

13463-67-7	Titanium Dioxide	Listed
1		

### **California Proposition 65:**

▲WARNING: This product can expose you to Titanium dioxide (airborne, unbound particles of respirable size); which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Additional information: Not determined.

#### **SECTION 16: Other Information**

# Abbreviations and Acronyms: None Disclaimer:

The data set forth in this sheet are based on information provided by the suppliers of the raw materials and chemicals used in the manufacture of the aforementioned product. Rhino Linings Corporation makes no warranty with respect to the accuracy of the information provided by their suppliers, and disclaims all liability of reliance thereof. Sections 11/12 Disclaimer (Toxicity/Ecotoxicity): This product itself has not been tested. Information given is based on data on the components and the toxicology of similar products. Section 14 (Transport Information): Information provided in Section 14 is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

**NFPA:** 2-1-0 **HMIS:** 2\*-1-0

Initial Preparation Date: 03.22.2006

**Revision date: 10.10.2025** 

**Revision Notes:** 

Revision Date	Notes
2006-03-22	
2008-12-05	Internal Review
2012-08-06	Internal Review
2014-04-28	Internal Review
2016-07-29	Internal Review
2020-10-01	Internal Review
2024-11-07	Internal Review
2025-10-10	Internal Review

**End of Safety Data Sheet** 

Page 14 of 14