



Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.09.2012

Page 1 of 15

Revision date: 03.11.2025

Rhino Extreme 11-70 FR Resin

SECTION 1: Identification

Product Identifier

Product Name: Rhino Extreme 11-70 FR Resin

Product code: 60094

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: POLYUREA SPRAY ELASTOMER SYSTEM - Resin Component

Uses Advised Against: Not determined or not applicable.

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer:

United States

Rhino Linings Corporation
9747 Businesspark Avenue
San Diego, CA 92131
858-450-0441
www.rhinolinings.com

Emergency Telephone Number:

North America

CHEMTREC
800-424-9300 (24/7)

SECTION 2: Hazard(s) Identification

GHS Classification:

Acute toxicity (oral), category 4
Acute toxicity (dermal), category 4
Acute toxicity (inhalation), category 4
Skin irritation, category 2
Eye irritation, category 2A
Skin sensitization, category 1
Germ cell mutagenicity, category 2
Reproductive toxicity, category 1B
Specific target organ toxicity - repeated exposure, category 1

Label elements

Hazard Pictograms:



Signal Word: Danger

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.09.2012

Page 2 of 15

Revision date: 03.11.2025

Rhino Extreme 11-70 FR Resin

Hazard statements:

- H302 Harmful if swallowed
- H312 Harmful in contact with skin
- H317 May cause an allergic skin reaction
- H341 Suspected of causing genetic defects.
- H360 May damage fertility or the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H332 Harmful if inhaled
- H319 Causes serious eye irritation
- H315 Causes skin irritation

Precautionary Statements:

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P260 Do not breathe dust, fumes, gas, mist, vapors or spray.
- P264 Wash any exposed skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P272 Contaminated work clothing must not be allowed out of the workplace
- P280 Wear protective gloves, protective clothing, eye protection and face protection.
- P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
- P330 Rinse mouth
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P321 Specific treatment (see Sections 4-8 of this SDS and any supplemental information on the product label).
- P333+P313 If skin irritation or rash occurs: Get medical advice or attention.
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P337+P313 If eye irritation persists: Get medical advice or attention.
- P308+P313 If exposed or concerned: Get medical advice or attention.
- P314 Get medical advice or attention if you feel unwell.
- P405 Store locked up
- P501 Dispose of contents and container in accordance with local, regional, national, and international regulations.

Hazards Not Otherwise Classified:

This product contains Diethyltoluenediamine (DETDA). This may cause methemoglobin formation resulting in a reduced ability of the blood to carry oxygen; a symptom may include cyanosis. Immediately give oxygen if victim turns blue (lips, ears, fingernails). Since reversion of methemoglobin to hemoglobin occurs spontaneously after termination of exposure, moderate degrees of cyanosis need to be treated only by supportive measures.

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: Proprietary	Polymer	50-60
CAS Number: 13674-84-5	Tris(2-chloro-1-methylethyl) phosphate	15-30

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.09.2012

Page 3 of 15

Revision date: 03.11.2025

Rhino Extreme 11-70 FR Resin

CAS Number: 9046-10-0	Poly(propylene glycol) bis(2-aminopropyl ether)	1-5
CAS Number: 68479-98-1	diethylmethylbenzenediamine	1-5
CAS Number: 5285-60-9	4,4'-methylenebis[N-sec-butylaniline]	1-5
CAS Number: 1318-02-1	Zeolites	1-5
CAS Number: 280-57-9	1,4-Diazabicyclooctane	0.1-2
CAS Number: 10584-98-2	2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanylacetate	0.1-2

Additional Information:

Specific chemical identity and/or exact percentage (concentration) of each ingredient may be held as confidential business information (CBI). Any ingredient not disclosed in this section may have been determined not to be hazardous to health or the environment, or it may be present at a level below its disclosure threshold.

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Show this Safety Data Sheet to the doctor in attendance.

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

After Skin Contact:

Not determined or not applicable.

After Eye Contact:

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After Swallowing:

Not determined or not applicable.

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Acute oral exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

Acute dermal exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

Acute inhalation exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.09.2012

Page 4 of 15

Revision date: 03.11.2025

Rhino Extreme 11-70 FR Resin

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

Delayed Symptoms and Effects:

Exposure may cause genetic defects. Effects are dependent on exposure (dose, concentration, contact time).

Long term exposure may affect fertility. Symptoms include, but are not limited to: menstrual problems, altered sexual behavior/fertility/ and pregnancy outcome. Long term exposure may also affect development of the unborn child. Symptoms include, but are not limited to: intrauterine growth retardation, pre-term birth, birth defects and postnatal death.

Causes damage to organs through prolonged or repeated exposure. Effects are dependent on exposure (dose, concentration, contact time).

Symptoms of exposure may be delayed.

Effects are dependent on exposure (dose, concentration, contact time).

Immediate Medical Attention and Special Treatment

Specific Treatment:

Not determined or not applicable.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts.

Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers.

Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.09.2012

Page 5 of 15

Revision date: 03.11.2025

Rhino Extreme 11-70 FR Resin

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10). Recommended storage temperature: 16 – 32°C (60 - 90°F)

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Zeolites	1318-02-1	8-Hour TWA: 1 mg/m ³ (Aluminum metal and insoluble compounds, respirable fraction)
	2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanylacetate	10584-98-2	TLV-TWA: 0.1 mg/m ³ ([8 hr] Tin, organic compounds, as Sn)
	2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanylacetate	10584-98-2	15-Minute STEL: 0.2 mg/m ³ (Tin, organic compounds, as Sn)
OSHA	2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanylacetate	10584-98-2	PEL: 0.1 mg/m ³ (Tin, organic compounds, as Sn)
	2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanylacetate	10584-98-2	TWA: 0.1 mg/m ³ (Tin, organic compounds, as Sn)
NIOSH	2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanylacetate	10584-98-2	REL: 0.1 mg/m ³ ([for up to a 10-hour workday during a 40-hour workweek] Tin, organic compounds, except cyhexatin, as Sn)
	2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanylacetate	10584-98-2	IDLH: 25 mg/m ³ (Tin, organic compounds, as Sn)
United States(California)	2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanylacetate	10584-98-2	8-Hour TWA: 0.1 mg/m ³ (Tin, organic compounds, as Sn)
	2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanylacetate	10584-98-2	15-Minute STEL: 0.2 mg/m ³ (Tin, organic compounds, as Sn)

Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

Information on Monitoring Procedures:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.09.2012

Page 6 of 15

Revision date: 03.11.2025

Rhino Extreme 11-70 FR Resin

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Not determined or not applicable.

Skin and Body Protection:

Not determined or not applicable.

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance	Liquid
Odor	Slight amine odor
Odor threshold	Not determined or not available.
pH	9 - 11
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	>200°C (>392°F)
Flash point (closed cup)	>200°C (>392°F)
Evaporation rate	Negligible
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	1.00-1.05 @ 25°C (77°F)
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	>250°C (482°F)
Decomposition temperature	Not determined or not available.
Dynamic viscosity	300-400 cps @ 25°C (77°F)
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.09.2012

Page 7 of 15

Revision date: 03.11.2025

Rhino Extreme 11-70 FR Resin

Oxidizing properties

Not determined or not available.

SECTION 10: Stability and Reactivity

Reactivity:

Product will not undergo hazardous polymerization. Corrosive effects to metal are not anticipated. Based on its structural properties the product is not classified as oxidizing. Does not form flammable gases in the presence of water.

Chemical Stability:

Stable under recommended handling and storage conditions.

Product is hygroscopic; contamination with moisture will negatively affect product performance. Avoid unintended contact with isocyanates; the reaction will generate heat.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

Strong oxidizing agents. Water, alcohols, amines, bases, acids, copper, aluminum and zinc alloys.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

In fire conditions, decomposition depends upon temperature, air supply and the presence of other materials.

Can include, but are not limited to carbon and nitrogen oxides, amines, hydrogen cyanide, lower molecular weight organic molecules, aluminum oxides.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment:

Harmful if swallowed.

Harmful in contact with skin.

Harmful if inhaled.

Product Data: No data available.

Substance Data:

Name	Route	Result
Poly(propylene glycol) bis(2-aminopropyl ether)	oral	LD50 Rat: 2885.3 mg/kg
	dermal	LD50 Rabbit: 2979.7 mg/kg
diethylmethylbenzenediamine	oral	LD50 Rat: 738 mg/kg
	dermal	LD50 Rabbit: 1100 mg/kg (ATE - Conversion point based on Hazard Classification)
	inhalation	LC50 Rat: >2.45 mg/L (1 hr [Aerosol])
4,4'-methylenebis[N-sec-butylaniline]	oral	LD50 Rat: > 300 - < 2000 mg/kg
	dermal	LD50 Rat: >2000 mg/kg
Zeolites	inhalation	LC50 Rat: >3.35 mg/L (4 hr [dust])
1,4-Diazabicyclooctane	oral	LD50 Rat: 700 mg/kg
	inhalation	LC50 Rat: >10.2 mg/L (4hr [vapor])
	dermal	LD50 Rabbit: >2000 mg/kg

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.09.2012

Page 8 of 15

Revision date: 03.11.2025

Rhino Extreme 11-70 FR Resin

Name	Route	Result
2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanyacetate	oral	LD50 Rat: 396 mg/kg
	dermal	LD50 Rat: 777 mg/kg
	inhalation	LC50 Rat: 0.941 mg/L (4 hr [aerosol])
Tris(2-chloro-1-methylethyl) phosphate	oral	LD50 Rat: 1500 mg/kg
	dermal	LD50 Rabbit: > 2000 mg/kg
	inhalation	LC50 Rat: >7 mg/L (4 hr [aerosol])

Skin Corrosion/Irritation

Assessment:

Causes skin irritation.

Product Data:

No data available.

Substance Data:

Name	Result
Poly(propylene glycol) bis(2-aminopropyl ether)	Causes severe skin burns.
1,4-Diazabicyclooctane	Causes skin irritation.
2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanyacetate	Causes skin irritation.

Serious Eye Damage/Irritation

Assessment:

Causes serious eye irritation.

Product Data:

No data available.

Substance Data:

Name	Result
Poly(propylene glycol) bis(2-aminopropyl ether)	Causes serious eye damage.
diethylmethylbenzenediamine	Causes serious eye irritation
1,4-Diazabicyclooctane	Causes serious eye damage.
2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanyacetate	Causes serious eye irritation.

Respiratory or Skin Sensitization

Assessment:

May cause an allergic skin reaction.

Product Data:

No data available.

Substance Data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.09.2012

Page 9 of 15

Revision date: 03.11.2025

Rhino Extreme 11-70 FR Resin

Name	Result
4,4'-methylenebis[N-sec-butylaniline]	May cause an allergic skin reaction.
2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfan yacetate	May cause an allergic skin reaction.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Poly(propylene glycol) bis(2-aminopropyl ether)	Not Applicable
diethylmethylbenzenediamine	Not Applicable
4,4'-methylenebis[N-sec-butylaniline]	Not Applicable
Zeolites	Group 3
1,4-Diazabicyclooctane	Not Applicable
2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfan yacetate	Not Applicable
Tris(2-chloro-1-methylethyl) phosphate	Not Applicable

National Toxicology Program (NTP):

Name	Classification
diethylmethylbenzenediamine	Not Applicable
4,4'-methylenebis[N-sec-butylaniline]	Not Applicable
Zeolites	Not Applicable
1,4-Diazabicyclooctane	Not Applicable
2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfan yacetate	Not Applicable
Poly(propylene glycol) bis(2-aminopropyl ether)	Not Applicable
Tris(2-chloro-1-methylethyl) phosphate	Not Applicable

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment:

Suspected of causing genetic defects.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.09.2012

Page 10 of 15

Revision date: 03.11.2025

Rhino Extreme 11-70 FR Resin

Product Data:

No data available.

Substance Data:

Name	Result
2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanylacetate	Suspected of causing genetic defects.

Reproductive Toxicity

Assessment:

May damage fertility or the unborn child.

Product Data:

No data available.

Substance Data:

Name	Result
2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanylacetate	May damage fertility. May damage the unborn child.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment:

Causes damage to organs through prolonged or repeated exposure.

Product Data:

No data available.

Substance Data:

Name	Result
diethylmethylbenzenediamine	Causes damage to organs (pancreas; liver; kidneys) through prolonged or repeated exposure
4,4'-methylenebis[N-sec-butylaniline]	Causes damage to liver through prolonged or repeated exposure.
2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanylacetate	Causes damage to thymus through prolonged or repeated exposure.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Information on Likely Routes of Exposure:

No data available.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.09.2012

Page 11 of 15

Revision date: 03.11.2025

Rhino Extreme 11-70 FR Resin

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

Other Information:

No data available.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
Poly(propylene glycol) bis(2-aminopropyl ether)	Aquatic Plants EC50 Pseudokirchneriella subcapitata: 15 mg/L (72 hr [growth rate])
	Aquatic Invertebrates EC50 Daphnia magna: 80 mg/L (48 hr [immobilization])
	Fish LC50 Oncorhynchus mykiss: >15 mg/L (96 hr)
diethylmethylbenzenediamine	Fish LC50 Leuciscus idus: 200 mg/L (48 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 0.5 mg/L (48 hr [mobility])
	Aquatic Plants ErC50 Desmodium subspicatus: 104 mg/L (72 hr [growth rate])
4,4'-methylenebis[N-sec-butylaniline]	Fish LC50 Danio rerio: >0,61 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 0.21 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Raphidocelis subcapitata: 0.187 mg/L (72 hr [growth rate])
1,4-Diazabicyclooctane	Aquatic Plants LC50 Pseudokirchneriella subcapitata: 110 mg/L (72 hr [biomass])
	Aquatic Invertebrates EC50 Daphnia magna: >100 mg/L (48 hr [mobility])
	Fish LC50 Cyprinus carpio: >100 mg/L (96 hr)
	Aquatic Plants EC50 Pseudokirchneriella subcapitata: 180 mg/L (72 hr [growth rate])
2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanyl]stannyl]sulfan ylaceta te	Fish LC50 Danio rerio: 11.7 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 0.035 mg/L (48 hr [mobility])
	Aquatic Plants ErC50 Scenedesmus subspicatus: > 0.646 mg/L (72 hr [growth rate])
Tris(2-chloro-1-methylethyl) phosphate	Fish LC50 P. promelas: 51 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 131 mg/L (48 hr)
	Aquatic Plants ErC50 P. subcapitata: 82 mg/L (72 hr)

Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanyl]stannyl]sulfan ylaceta te	Aquatic Invertebrates NOEC Daphnia magna: 0.36 mg/L (21 d [reproduction])

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.09.2012

Page 12 of 15

Revision date: 03.11.2025

Rhino Extreme 11-70 FR Resin

Persistence and Degradability

Product Data: No data available.

Substance Data:

Name	Result
Poly(propylene glycol) bis(2-aminopropyl ether)	The substance is not readily biodegradable. 0% degradation in water, measured by CO2 evolution, after 28 days.
diethylmethylbenzenediamine	The substance is not readily biodegradable.
4,4'-methylenebis[N-sec-butylaniline]	The substance is not readily biodegradable. 2% degradation, measured by CO2 evolution, after 28 days.
Zeolites	Persistence and degradability studies are not applicable to inorganic substances.
1,4-Diazabicyclooctane	The substance is not readily biodegradable (7% degradation after 28 days, measured by CO2 evolution).
2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfan yacetate	This substance is inherently biodegradable in water (30-40% degradation after 28 days, measured by Oxygen consumption).
Tris(2-chloro-1-methylethyl) phosphate	The substance is not readily biodegradable. 0 - 14% degradation in water after 28 days.

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

Name	Result
diethylmethylbenzenediamine	The substance is not expected to bioaccumulate. BCF (aquatic species): 2.75.
Zeolites	Bioaccumulation studies are not applicable to inorganic substances.
1,4-Diazabicyclooctane	The substance is not expected to significantly accumulate in organisms, BCF (aquatic species): 13
2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfan yacetate	Accumulation in organisms is not to be expected (anticipated log Kow: <3).
Poly(propylene glycol) bis(2-aminopropyl ether)	The substance is not expected to bioaccumulate (BCF: 3.16 L/kg, basis, whole body w.w., aquatic specie: fish, QSAR substance data).
Tris(2-chloro-1-methylethyl) phosphate	Bioaccumulation is not expected. BCF (aquatic species): 2.59 dimensionless

Mobility in Soil

Product Data: No data available.

Substance Data:

Name	Result
diethylmethylbenzenediamine	The substance is moderately mobile in soil with a moderate potential for adsorption to soil and sediment. Koc at 20 °C: 551
4,4'-methylenebis[N-sec-butylaniline]	The substance is immobile in soil with a high potential for adsorption to soil and sediment. Koc at 20 °C: 110,000
Zeolites	Adsorption to soil and sediment is not expected because the substance is inorganic.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.09.2012

Page 13 of 15

Revision date: 03.11.2025

Rhino Extreme 11-70 FR Resin

Name	Result
1,4-Diazabicyclooctane	The substance is highly mobile or mobile in soil then it has a low potential for adsorption to soil and sediment. [Log Koc: 1.95].
2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanylacetate	Based on the low solubility of this substance, it can be predicted that this substance will be very strongly adsorbed to soil.
Poly(propylene glycol) bis(2-aminopropyl ether)	The substance is mobile, therefore, there is low potential for adsorption to soil and sediment (Koc: 52.1 L/kg, QSAR substance data).
Tris(2-chloro-1-methylethyl) phosphate	The substance is moderately mobile in soil with a moderate potential for adsorption to soil and sediment. Koc at 20 °C: 174

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

diethylmethylbenzenediamine	The substance is not PBT.
Zeolites	This substance is not PBT.
2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanylacetate	This substance is not PBT.
Poly(propylene glycol) bis(2-aminopropyl ether)	The substance is not PBT.
1,4-Diazabicyclooctane	The substance is not PBT.
Tris(2-chloro-1-methylethyl) phosphate	The substance is not PBT.

vPvB assessment:

diethylmethylbenzenediamine	The substance is not vPvB.
Zeolites	This substance is not vPvB.
2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanylacetate	This substance is not vPvB.
Poly(propylene glycol) bis(2-aminopropyl ether)	The substance is not vPvB.
1,4-Diazabicyclooctane	The substance is not vPvB.
Tris(2-chloro-1-methylethyl) phosphate	The substance is not vPvB.

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

The generation of waste should be avoided or minimized wherever possible. If product becomes a waste, it does not meet criteria of hazardous waste as defined in 40 CFR 261, Subpart C and D. Do not discharge into sewer system. Spill cleanup residues may still be subject to RCRA storage and disposal requirements.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.09.2012

Page 14 of 15

Revision date: 03.11.2025

Rhino Extreme 11-70 FR Resin

Dispose waste in compliance with local, state and federal regulations via licensed waste disposal contractor.

Contaminated packages:

Even after emptying, container may retain residues. Containers should be completely emptied and safely stored until appropriately reconditioned or disposed through licensed contractor in accordance with government regulation. This material and its container must be disposed of in a safe way.

SECTION 14: Transport Information

International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA):

68479-98-1	diethylmethylbenzenediamine	Listed - Active
5285-60-9	4,4'-methylenebis[N-sec-butyraniline]	Listed - Active
1318-02-1	Zeolites	Not Listed
280-57-9	1,4-Diazabicyclooctane	Listed
10584-98-2	2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanylacetate	Listed - Active
9046-10-0	Poly(propylene glycol) bis(2-aminopropyl ether)	Listed - Active
13674-84-5	Tris(2-chloro-1-methylethyl) phosphate	Listed - Active

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals: None of the ingredients are listed.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.09.2012

Page 15 of 15

Revision date: 03.11.2025

Rhino Extreme 11-70 FR Resin

CERCLA: None of the ingredients are listed.

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know: None of the ingredients are listed.

New Jersey Right to Know: None of the ingredients are listed.

New York Right to Know:

280-57-9	1,4-Diazabicyclooctane	Listed
10584-98-2	2-Ethylhexyl 2-[dibutyl-[2-(2-ethylhexoxy)-2-oxoethyl]sulfanylstannyl]sulfanylacetate	Listed

Pennsylvania Right to Know: None of the ingredients are listed.

California Proposition 65: None of the ingredients are listed.

Additional information: Not determined.

SECTION 16: Other Information

Abbreviations and Acronyms: None

Disclaimer:

The data set forth in this sheet are based on information provided by the suppliers of the raw materials and chemicals used in the manufacture of the aforementioned product. Rhino Linings Corporation makes no warranty with respect to the accuracy of the information provided by their suppliers, and disclaims all liability of reliance thereof. Sections 11/12 Disclaimer (Toxicity/Ecotoxicity): This product itself has not been tested. Information given is based on data on the components and the toxicology of similar products. Section 14 (Transport Information): Information provided in Section 14 is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

NFPA: 3-1-1

HMIS: 3*-1-1

Initial Preparation Date: 08.09.2012

Revision date: 03.11.2025

Revision Notes:

Revision Date	Notes
2012-08-09	
2013-04-02	Internal Review
2014-09-14	Internal Review
2015-12-07	Internal Review
2016-07-18	Internal Review
2025-03-11	Internal Review

End of Safety Data Sheet